



SINCE  
1968

**ALMONARD (P) LIMITED**

ISO 9001-2000



Regn. No. 2843

## Industrial » AIR CIRCULATOR

### TEMPEST 450 mm (18") Pedestal AIR CIRCULATOR

Aluminium alloy one-piece blade double ball-bearing 90° oscillation sturdy close-mesh guard beautiful design powerful heavy-duty motor

- 600 mm (24") Heavy - Duty Pedestal Air Circulators
- 750 mm (30") Heavy - Duty Pedestal Air Circulators
- three speed Push-button ( in 450 mm 18" only), speed-control mounted within easy reach of hand
- vertical adjustment from 22° to 45°



### SPECIFICATION :

Sweep	Volts (V)	AC Cycles (C/S)	Power Consumption	Speed RPM	Phase	Air Delivery (M3/min)	No. Of Blades	No. of Speeds
450 mm 18"	230	50	100W	1440	1	150	3	3


### Heavy - Duty Wall Mounting Air Circulators

600 mm (24")

750 mm (30")

#### Features :

- Vertical adjustment from 22° to 45°



Heavy - Duty Wall Mounting Air Circulators


#### SPECIFICATION :

Sweep	Volts (V)	AC Cycles (C/S)	Power Consumption	Speed RPM	Phase	Air Delivery (M3/min)	No. Of Blades	No. of Speeds
600mm	230	50	180W	1440	1	270	3	1
24"	230	50	250W	1440	1	400	3	1
750mm								
30"								

## Tempest 450 mm (18") Heavy Duty Wall Air Circulators

### Features :

- Three speed
- Push-button, speed-control mounted with easy reach of hand
- vertical adjustment from 22° to 45°



Tempest 450 mm (18") Heavy  
Duty Wall Air Circulators

guaranteed for 1 year

Air Circulators are



[www.almonard.com](http://www.almonard.com)

ALL RIGHTS RESERVED AT ALMONARD PVT LIMITED